

commodiTile
value+quality+design

commodiTile
value+quality+design
www.commoditile.com

Anchor

Classics

Impressions

Pure

Sicily

ANCHOR

Patina . Pewter . Iron

PEWTER 12"X24" . 30X60





PATINA 24"X24" . 60X60

PATINA




CTANPAT24481P
24"x24" . 60X60 rect.




CTANPAT12241P
12"x24" . 30X60 rect.




CTANPAT2HEX1P
2" Hexagon (Mesh Mount)



CTANIRO24481P
24"x24" . 60X60 rect.



CTANIRO12241P
12"x24" . 30X60 rect.




CTANIRO2HEX1P
2" Hexagon (Mesh Mount)

IRON


PEWTER



CTANPEW24481P
24"x24" . 60X60 rect.






CTANPEW12241P
12"x24" . 30X60 rect.



CTANPEW2HEX1P
2" Hexagon (Mesh Mount)

Other sizes available via special order only. Please contact your local Sales Representative.

SIZE

SIZE	Sq. Ft. per Carton Actual	Sq. Ft. per Carton Nominal	Faces	Pieces per Carton
 24"x24"	15.5	16	9	4
 12"x24"	9.7	10	18	5
 2"Hexagon (Mesh Mount)	9.18	10	NA	10

APPLICATION

APPLICATION	Residential	Light Commercial	Commercial	Exteriors
FLOOR				
WALLS / BACKSPLASHES				
COUNTERS				
POOL LININGS				

INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
3/8"	1/8"	V2

TEST RESULTS

Test	ASTM#	Result
BREAKING STRENGTH	C648	≥ 250 lbs.
STAIN RESISTANCE	C1378	Pass
DCOF	ANSI 137.1	≥ 0.42
PEI	C1027	PEI 4



VENETIAN Gray 12"X24" . 30X60

CLASSICS

Italian Carrara . Venetian Gray









CTCLCAR24241L Glazed Polished
CTCLCAR24241U Honed Matte
24"x24" . 60X60 rect.



CTCLCAR12241L Glazed Polished
CTCLCAR12241U Honed Matte
12"x24" . 30X60 rect.



CTCLCAR2HEX1P
2" Hexagon
(Mesh Mount)



CTCLVEN12341L Glazed Polished
CTCLVEN12341U Honed Matte
12"x24" . 30X60 rect.






CTCLVEN2HEX1P
2" Hexagon
(Mesh Mount)

ITALIAN CARRARA 24"x24" . 60X60

Other sizes available via special order only. Please contact your local Sales Representative.

SIZE

SIZE	Sq. Ft. per Carton Actual	Sq. Ft. per Carton Nominal	Faces	Pieces per Carton
 24"x24"	15.5	16	8	4
 12"x24"	9.7	10	12	5
 2"Hexagon (Mesh Mount)	9.18	10	NA	10

APPLICATION

APPLICATION	Residential	Light Commercial	Commercial	Exteriors
FLOOR				
WALLS / BACKSPLASHES				
COUNTERS				
POOL LININGS				

INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
3/8"	1/8"	V3

TEST RESULTS

Test	ASTM#	Result
BREAKING STRENGTH	C648	≥ 250 lbs.
STAIN RESISTANCE	C1378	Pass
DCOF*	ANSI 137.1	≥ 0.42
PEI*	C1027	PEI 4

*Applies to honed matte porcelain floor tile only



CHARCOAL 12"x24" . 30X60

IMPRESSIONS

Quartz . Silver . Charcoal





• QUARTZ 12"X24" . 30X60



• SILVER 12"X24" . 30X60

QUARTZ




CTIMQUA12241P
12"x24" . 30X60 rect.



CTIMQUA221P
2" Square (Mesh Mount)



CTIMCHA12241P
12"x24" . 30X60 rect.




CTIMCHA221P
2" Square (Mesh Mount)

CHARCOAL

SILVER





CTIMSIL12241P
12"x24" . 30X60 rect.



CTIMSIL221P
2" Square (Mesh Mount)

Other sizes available via special order only. Please contact your local Sales Representative.

SIZE

SIZE	Sq. Ft. per Carton Actual	Sq. Ft. per Carton Nominal	Faces	Pieces per Carton
 12"x24	9.7	10	12	5
 2" Square (Mesh Mount)	9.82	10	NA	10

APPLICATION

APPLICATION	Residential	Light Commercial	Commercial	Exteriors
FLOOR				
WALLS / BACKSPLASHES				
COUNTERS				
POOL LININGS				

INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
3/8"	1/8"	V2

TEST RESULTS

Test	ASTM#	Result
BREAKING STRENGTH	C648	≥ 250 lbs.
STAIN RESISTANCE	C1378	Pass
DCOF	ANSI 137.1	≥ 0.42
PEI	C1027	PEI 4

PURE


Arctic White

ARCTIC WHITE 24"X48" . 60X120






ARCTIC WHITE 24"X24" .60X60



CTPUWHT24481L
Glazed Polished
24"x48" . 60X120 rect.



CTPUWHT24241L
Glazed Polished
24"x24" . 60X60 rect.






CTPUWHT12241L
Glazed Polished
12"x24" . 30X60 rect.

ARCTIC WHITE 24"x24" . 60X60







ARCTIC WHITE

Other sizes available via special order only. Please contact your local Sales Representative.

SIZE

SIZE	Sq. Ft. per Carton Actual	Sq. Ft. per Carton Nominal	Faces	Pieces per Carton
 24"x48"	15.5	16	8	2
 24"x24"	15.5	16	8	4
 12"x24"	9.7	10	12	5

APPLICATION

APPLICATION	Residential	Light Commercial	Commercial	Exteriors
FLOOR				
WALLS / BACKSPLASHES				
COUNTERS				
POOL LININGS				

INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
3/8"	1/8"	V1

TEST RESULTS

Test	ASTM#	Result
BREAKING STRENGTH	C648	≥ 250 lbs.
STAIN RESISTANCE	C1378	Pass
DCOF	ANSI 137.1	< 0.42
PEI	C1027	PEI 4

SICILY

Catania . Taormina . Etna

CATANIA 12"X24" . 30X60





TAORMINA 24"X48" . 60X120



ETNA 12"X24" . 30X60


CATANIA



CTSILCAT24481L Glazed Polished
CTSILCAT24481U Honed Matte
24"x48" . 60X120 rect.



CTSILCAT12241L Glazed Polished
CTSILCAT12241U Honed Matte
12"x24" . 30X60 rect.




CTSILCAT221P
2" Square
(Mesh Mount)



CTSILETN24481L Glazed Polished
CTSILETN24481U Honed Matte
24"x48" . 60X120 rect.



CTSILETN12241L Glazed Polished
CTSILETN12241U Honed Matte
12"x24" . 30X60 rect.



CTSILETN221P
2" Square
(Mesh Mount)

ETNA


TAORMINA



CTSILTAO24481L Glazed Polished
CTSILTAO24481U Honed Matte
24"x48" . 60X120 rect.






CTSILTAO12241L Glazed Polished
CTSILTAO12241U Honed Matte
12"x24" . 30X60 rect.



CTSILTAO221P
2" Square
(Mesh Mount)

Other sizes available via special order only. Please contact your local Sales Representative.

SIZE

SIZE	Sq. Ft. per Carton Actual	Sq. Ft. per Carton Nominal	Faces	Pieces per Carton
 24"x48"	15.5	16	8	2
 12"x24"	9.7	10	12	5
 2" Square (Mesh Mount)	9.82	10	NA	10

APPLICATION

APPLICATION	Residential	Light Commercial	Commercial	Exteriors
FLOOR				
WALLS / BACKSPLASHES				
COUNTERS				
POOL LININGS				

INSTALLATION

Thickness	Grout Joint Recommendation	Shade Variation
3/8"	1/8"	V3

TEST RESULTS

Test	ASTM#	Result
BREAKING STRENGTH	C648	≥ 250 lbs.
STAIN RESISTANCE	C1378	Pass
DCOF*	ANSI 137.1	≥ 0.42
PEI*	C1027	PEI 4

*Applies to honed matte porcelain floor tile only

